

The E-Gen Light range, a testament to both ingenuity and economic wisdom, offers a regal illumination without compromising on fiscal prudence.



2026

Light has no boundaries



E-GEN CATALOGUE

index

08

Recessed Spot Light

Compi
Button
Tori

12

Recessed Down Light

Zmini	Rika
Bosca V.3	Polo
Beetel	Tulum
Max	Moon
Extro	Sherry
Bosca	Marbul
Diamond	2x2 Panel

36

Surface Down Light

Grillo	Cornea-S
Veen	Cornea-R
Echo	Sula
Cylinder	Disk

48

Track Light

Echo
Track Jointer
Track Channel

52

Cabinet Light

Cabinet (motion sensor)
Cabinet

56

Strip Light & Power Supply

Strip Light
24V Ultra Slim Power Supply
12V & 24V Power Supply

74

LED & Lamp Module

Crep
Module
COB Housing

78

Indoor Wall Light

Tess
Neos
Domov

84

Outdoor Ceiling Light

Ribbon
Mini
Gunter

88

Outdoor Wall Light

Truss	Duo
Griya	Apollo
Prato	Stepper
Citmo	Ciara
Ciara	Nova
Marcel	

104

Foot Light

Magneto (A-E)
Bari

112

Bollard & Gate Light

Sand
Dill

118

Spike Light

Jenko

120

Inground Light

Troy

122

Street Light

Street

124

Flood Light

Airlite-2

27 YEARS
OF LIGHT

Founded in 1999, Changi Lighting has spent over two and a half decades shaping the language of light. What began as a vision to redefine illumination has evolved into a legacy of design innovation, technical mastery, and timeless elegance.

For 27 years, Changi has stood at the intersection of art and engineering — where every luminaire is more than a fixture; it's a statement of purpose, precision, and poise. Our collections span indoor, outdoor, and decorative lighting, each crafted to embody the brand's enduring philosophy: luxury in simplicity, sophistication in detail.

With a deep focus on architectural lighting, we collaborate with leading architects, interior designers, and visionaries across India to transform structures into stories — where light defines mood, accentuates form, and inspires emotion. Our e-gen range further extends this promise, offering intelligent, energy-efficient solutions that balance performance with affordability.

As we celebrate 27 years of excellence, we look not just to the milestones behind us, but to the brilliance ahead. Guided by our founding principles of innovation, quality, and integrity, Changi Lighting continues to illuminate the future — one space, one vision, one spark at a time.



RECESSED SPOT LIGHT

Recessed spotlights offer a sleek and minimalist approach to lighting design. These fixtures are discreetly installed into the ceiling, casting a focused beam of light onto specific areas. Their clean lines and unobtrusive nature enhance the overall aesthetics of a space, while their directional lighting capabilities provide precise illumination for various purposes. You can use these lights to either highlight artwork, accentuate architectural features, or create a warm and inviting atmosphere, recessed spotlights offer a versatile and elegant lighting solution.

BODY COLOUR

Black

LED

Edison


COMPI

CCT.

3000K



24°



CH 2344-1W

 $\phi 27\text{mm}$

Flux 60 Lm

Material

Aluminium



BODY COLOUR

White

LED

Edison


BUTTON

CCT.

3000K | 4000K



38°



CH 532-3W-RD

 $\phi 33\text{mm}$

Flux 210 Lm

Material

Aluminium



TORI



BODY COLOUR

White

LED


Edison

CCT.

3000K | 4000K



38°



CH 30-1W-R

 $\phi 28\text{mm}$

Flux 70 Lm

Material

Aluminium

TORI



BODY COLOUR

White

LED


Edison

CCT.

3000K | 4000K



38°



CH 30-1W-S

 $\phi 28\text{mm}$

Flux 70 Lm

Material

Aluminium

TORI

BODY COLOUR
White


LED
Epistar

CCT.
3000K

IP
20

CRI
≥80

60°



CH Y-21-1W

Key symbol $\phi 18\text{mm}$

Flux 95 Lm

Material
Aluminium



BODY COLOUR
White


LED
Edison

CCT.
3000K | 4000K

IP
20

CRI
≥80

38°



CH 40-3W-RD

Key symbol $\phi 38\text{mm}$

Flux 210 Lm

Material
Aluminium



TORI



RECESSED DOWN LIGHT

Recessed downlights offer a sophisticated and understated lighting solution that exudes luxury. Seamlessly integrated into the ceiling, these fixtures emit a soft, diffused glow that creates an ambiance of refined elegance. Their unobtrusive design allows the architectural features of a space to take center stage, while their precise illumination enhances the overall aesthetic appeal. Whether used to illuminate a grand foyer, a cozy living room, or a serene bedroom, recessed downlights provide a timeless and opulent lighting experience.

ZMINI



BODY COLOUR

White | Black

CCT.

3000K | 4000K | 6000K |
Tunable White

LED

BridgeLux

IP
20

CRI
≥80




CH 8599-5W

 $\phi 35\text{mm}$

Flux 332 Lm

Material
Aluminium




CH 8599-7W

 $\phi 55\text{mm}$

Flux 641 Lm

Material
Aluminium



CH 8599-12W

 $\phi 75\text{mm}$


Flux 1224 Lm

Material
Aluminium



BOSCA V.3

TRIMLESS



BODY COLOUR

Black | White

CCT.

3000K | 4000K |
6000K | Tunable White

LED


BridgeLux |
Toyonia

Ref. Colour

White | Black |
Pearl Black | Rose Gold

IP
20

CRI
≥90



CH 2550-T-7W


 $\phi 65\text{mm}$

Flux 677 Lm

Material
Aluminium



40°



CH 2550-T-12W


 $\phi 75\text{mm}$

Flux 1200 Lm

Material
Aluminium



60°



CH 2550-T-18W

 $\phi 85\text{mm}$


Flux 1586 Lm

Material
Aluminium



60°

BOSCA V.3



BODY COLOUR

Black | White

CCT.

3000K | 4000K |
6000K | Tunable White

LED


BridgeLux |
Toyonia

Ref. Colour

White | Black |
Pearl Black | Rose Gold

IP
20

CRI
≥90



CH 2550-7W


 $\phi 65\text{mm}$

Flux 677 Lm

Material
Aluminium



40°



CH 2550-12W


 $\phi 75\text{mm}$

Flux 1200 Lm

Material
Aluminium



60°



CH 2550-18W

 $\phi 85\text{mm}$

Flux 1586 Lm

Material
Aluminium



60°



BEETEL



BODY COLOUR

Black | White

CCT.


3000K | 4000K | 5000K

LED

BridgeLux

IP
20

CRI
≥90




CH 2506-12W

 15x236mm

Flux 636 Lm

Material
Aluminium



CH 2506-18W

 ϕ 15x350mm

Flux 1246 Lm

Material
Aluminium



MAX



BODY COLOUR

White

CCT.

3000K | 4000K | 6000K |
Tunable White

LED


Toyonia



IP
20

CRI
≥90

MAX




CH 2139-3W

 $\phi 60\text{mm}$

Flux 219 | 210 | 203 Lm

Material
Aluminium




CH 2139-7W

 $\phi 75\text{mm}$

Flux 795 | 741 | 757 Lm

Material
Aluminium




CH 2139-12W

 $\phi 85\text{mm}$

Flux 1309 | 1364 | 1314 Lm

Material
Aluminium




CH 2139-20W

 $\phi 115\text{mm}$

Flux 1966 | 1990 | 2009 Lm

Material
Aluminium



CH 2139-30W

 $\phi 125\text{mm}$

Flux 3040 | 3187 | 3414 Lm

Material
Aluminium



EXTRO



BODY COLOUR

White

CCT.

3000K | 4000K |
Tunable White

LED

Toyonia

REF. COLOUR

White | Rose Gold |
Pearl Black | Matte Black

30°


IP
20

CRI
≥80



EXTRO

TRIM



CH 2102-7W


 $\phi 55\text{mm}$

Flux 483 Lm

Material
Aluminium



24°



CH 2102-10W


 $\phi 75\text{mm}$

Flux 841 Lm

Material
Aluminium



24°



CH 2102-18W

 $\phi 95\text{mm}$


Flux 1707 Lm

Material
Aluminium



36°

TRIMLESS



CH 2102-7W


 $\phi 55\text{mm}$

Flux 483 Lm

Material
Aluminium



24°



CH 2102-10W


 $\phi 75\text{mm}$

Flux 841 Lm

Material
Aluminium



24°



CH 2102-18W

 $\phi 95\text{mm}$

Flux 1707 Lm

Material
Aluminium




36°

BOS



A-DEEP



BOSCA

BODY COLOUR


Black | White

CCT.

3000K | 4000K | 6000K |
Tunable White

LED

BridgeLux | Toyonia



CH 8598-3W


⌀40mm

Flux 270 Lm

Material
Aluminium

Ref. Colour

White | Pearl Black |
Rose Gold



CH 8598-7W

⌀60mm

Flux 750 Lm

Material
Aluminium

Ref. Colour

White | Black | Pearl Black |
Rose Gold | Sand Gold





SCA



B-CURVE

C-TAPE



CH 8598-12W

⚙️ $\phi 75\text{mm}$


Flux 1360 Lm

Material

Aluminium

Ref. Colour

White | Black | Pearl Black |
Rose Gold | Sand Gold



CH 8598-20W

⚙️ $\phi 85\text{mm}$


Flux 2120 Lm

Material

Aluminium

Ref. Colour

White | Black | Pearl Black |
Rose Gold | Sand Gold



CH 8598-30W

⚙️ $\phi 110\text{mm}$

Flux 3000 Lm

Material

Aluminium

Ref. Colour

White | Black



DIAMOND



BODY COLOUR

Chrome | Copper | White

CCT.


3000K | 4000K | 6000K

LED

Cree

IP
20

CRI
≥80



CH R-59-4W

 $\phi 55\text{mm}$

Flux 400 | 450 | 450 Lm

Material
Aluminium



CH R-59-8W

 $\phi 75\text{mm}$

Flux 650 | 700 | 700 Lm

Material
Aluminium



RIKA



BODY COLOUR

White

CCT.

3000K | 4000K | 6000K |
Tunable White


LED

Edison

30°

CRI
≥80

IP
20



CH 447-2x6W-SQ

 150x70mm


Flux 900 Lm

Material

Aluminium



PO



POLO

BODY COLOUR


Black | White

CCT.

3000K | 4000K | 6000K |
Tunable White

LED

Sanan




CH 2423-12W



Flux 1350 Lm

Material
Aluminium



CH 2423-18W





Flux 2070 Lm

Material
Aluminium



LO




CH 2423-24W

⌀155mm

Flux 2760 Lm

Material
Aluminium




CH 2423-35W

⌀205mm

Flux 4025 Lm

Material
Aluminium



CH 2423-48W

⌀285mm

Flux 5250 Lm

Material
Aluminium



TUL



HIGH
LUMEN

2.5KV
SURGE
PROTECTION

TULUM

BODY COLOUR

White

CCT.


3000K | 4000K |
6000K

LED

Sanan

IP
20

CRI
≥80




CH 2383-R-10W

⌀88mm

Flux 950 Lm

Material
Aluminium



CH 2383-S-10W

85x85mm

Flux 950 Lm

Material
Aluminium




UM



FLICKER
FREE

BETTER
PERFORMANCE




CH 2383-R-15W

⌀130mm

Flux 1380 Lm

Material
Aluminium




CH 2383-S-15W

130x130mm

Flux 1380 Lm

Material
Aluminium




CH 2383-R-20W

⌀160mm

Flux 1850 Lm

Material
Aluminium



CH 2383-S-20W

155x155mm

Flux 1850 Lm

Material
Aluminium





MOON



BODY COLOUR

White

CCT.


3000K | 4000K | 6000K

LED

Sanan

IP
20

CRI
≥80




CH 2101-R-8W

φ60-70mm

Flux 640 Lm

Material
Aluminium





CH 2101-R-11W

φ68-100mm

Flux 800 Lm

Material
Aluminium



CH 2101-R-15W

φ68-140mm

Flux 1120 Lm

Material
Aluminium



SHERRY



BODY COLOUR

White

CCT.


3000K | 4000K | 6000K

LED

Edison

IP
20

CRI
≥80




CH 666-8W

90x90mm

Flux 720 Lm

Material
Aluminium




CH 666-15W

145x145mm

Flux 1350 Lm

Material
Aluminium



CH 666-22W

175x175mm

Flux 1980 Lm

Material
Aluminium



SHERRY



BODY COLOUR

White

CCT.


3000K | 4000K | 6000K

LED

Epistar

IP
20

CRI
≥80




CH 666-R-8W

 ϕ 110mm

Flux 800 Lm

Material

Aluminium + PMMA




CH 666-R-16W

 ϕ 145mm

Flux 1600 Lm

Material

Aluminium + PMMA



CH 666-R-24W

 ϕ 165mm

Flux 2400 Lm

Material

Aluminium + PMMA



MARBUL



BODY COLOUR

White

CCT.


3000K | 4000K | 6000K

LED

Osram

IP
20

CRI
≥80




CH 8413-7W

⌀80mm

Flux 340 | 369 | 390 Lm

Material
Aluminium




CH 8413-20W

⌀145mm

Flux 1243 | 1269 | 1300 Lm

Material
Aluminium



CH 8413-25W

⌀160mm

Flux 1716 | 1823 | 1951 Lm

Material
Aluminium



2X2 PANEL



BODY COLOUR

White

CCT.


4000K | 6000K

LED

Sanan

IP
20

CRI
≥80



CH LCD-2x2-B-48W

 582x582mm

Flux 4800 Lm

Material
Aluminium



120°



SURFACE DOWN LIGHT

Surface-mounted downlights are stylish and functional lighting fixtures that can be directly attached to the ceiling. They cast a gentle, dispersed light, creating a sophisticated and refined atmosphere. These versatile lights can be used in various settings, from large, open spaces to smaller, more private areas. They provide both general and focused lighting, making them a practical and elegant choice for any interior design.

GRILLO



BODY COLOUR

Black | White

CCT.


3000K | 4000K | 6000K

LED

BridgeLux

IP
20


CRI
≥80



CH 2409-7W

Flux 560 Lm

Material
Aluminium



CH 2409-12W

Flux 960 Lm

Material
Aluminium



VE



A-Deep



B-Curve

VEEN

BODY COLOUR

Black | White

CCT.


3000K | 4000K | 6000K

LED

BridgeLux

REF. COLOUR


White | Black | Pearl
Black | Rose Gold |
Sand Gold (Rd)



CH 9324-RD-7W

Flux 757 Lm


Material
Aluminium



CH 9324-RD-12W

Flux 1350 Lm

Material
Aluminium



CH 9324-RD-18W

Flux 2200 Lm

Material
Aluminium



EN



C-Tape


Square



CH 9324-S-7W

Flux 700 Lm


Material
Aluminium



CH 9324-S-12W

Flux 1200 Lm

Material
Aluminium



CH 9324-S-18W

Flux 1800 Lm

Material
Aluminium





ECHO



BODY COLOUR


White | Black

CCT.

3000K | 4000K | 6000K

LED


BridgeLux



CH 237-S-10W

Flux 1500 Lm


Material
Aluminium



CH 237-S-20W

Flux 3200 Lm


Material
Aluminium



CH 237-S-30W

Flux 4800 Lm

Material
Aluminium



CH 237-S-40W

Flux 6400 Lm

Material
Aluminium



CYLINDER



BODY COLOUR

White | Black

CCT.


3000K | 4000K | 6000K

LED

BridgeLux

IP
20

CRI
≥80



CH 9318-10W

Flux 920 Lm

Material

Aluminium



38°

CORNEA-S



BODY COLOUR

White

CCT.


3000K | 4000K | 6000K

LED

Edison

IP
20


CRI
≥80



CH CS-219-6W

Flux 420 Lm


Material
Aluminium



CH CS-219-12W

Flux 840 Lm


Material
Aluminium



CH CS-219-18W

Flux 1260 Lm


Material
Aluminium



CH CS-219-24W

Flux 1680 Lm

Material
Aluminium



CORNEA-R



BODY COLOUR

White

CCT.

3000K | 4000K | 6000K


LED

Edison

IP
20

CRI
≥80


CORNEA-R



CH CR-219-3W

Flux 180 Lm


Material
Aluminium



CH CR-219-6W

Flux 420 Lm


Material
Aluminium



CH CR-219-12W

Flux 840 Lm


Material
Aluminium



CH CR-219-18W

Flux 1260 Lm


Material
Aluminium



CH CR-219-24W

Flux 1680 Lm

Material
Aluminium





SULA

BODY COLOUR


White

LED

Edison

CCT.

3000K | 4000K



CH 208-3W

Flux 210 Lm

Material

Aluminium

DISK



BODY COLOUR

White

CCT.


3000K | 4000K

LED

Edison

IP
20


CRI
≥80



CH RS-44-2W

Flux 70 Lm

Material
Aluminium




CH RS-60-3W

Flux 150 Lm

Material
Aluminium





TRACK LIGHT

Track lights offer a versatile and elegant lighting solution that allows for precise control over the direction and intensity of light. These fixtures are mounted on a track system, enabling them to be easily adjusted and repositioned to suit various lighting needs. Whether used to highlight artwork, accentuate architectural features, or create a dramatic focal point, track lights provide a flexible and stylish lighting solution.

ECHO



BODY COLOUR

White | Black

CCT.


3000K | 4000K | 6000K | Tunable
White (10W, 20W)

LED

BridgeLux

APPLICABLE TRACK


2 Line



CH T-237-10W

Flux 1500 Lm


Material
Aluminium



CH T-237-20W

Flux 3200 Lm


Material
Aluminium



CH T-237-30W

Flux 4800 Lm

Material
Aluminium



CH T-237-40W

Flux 6400 Lm

Material
Aluminium




TRACK JOINTER



2 LINE JOINTER WHITE



2 LINE JOINTER BLACK



3 LINE JOINTER WHITE



3 LINE JOINTER BLACK

TRACK CHANNEL

2 LINE TRACK CHANNEL - 1 Mtr. (Black | White)

2 LINE TRACK CHANNEL - 2 Mtr. (Black | White)

3 LINE TRACK CHANNEL - 1 Mtr. (Black | White)



2 LINE L-JOINTER WHITE



2 LINE L-JOINTER BLACK



CABINET LIGHT

Cabinet lights, discreet yet discerning, illuminate the contents within with a gentle glow. These unobtrusive fixtures, often recessed or subtly mounted, enhance both functionality and aesthetics. Whether illuminating the depths of a kitchen cabinet or showcasing treasured possessions within a display case, cabinet lights provide a soft, inviting light that transforms ordinary spaces into elegant showcases.

CABINET

MOTION SENSOR ENABLED



BODY COLOUR

White

CCT.

3000K | 4000K

LED

Edison

IP
20

CRI
≥80



CH 2351-8W

Flux 640 Lm

Material

Aluminium



120°



CH 2351-12W

Flux 960 Lm


Material

Aluminium



120°

CABINET



BODY COLOUR

White

CCT.

3000K | 4000K | 6000K


LED

Edison

IP
40

CRI
≥80

CABINET



CH 681-4W

Flux 200 Lm

Material

Aluminium



CH 681-8W

Flux 440 Lm

Material

Aluminium



CH 681-12W

Flux 780 Lm

Material

Aluminium



CH 681-18W

Flux 1200 Lm

Material

Aluminium





STRIP LIGHT & POWER SUPPLY

Strip lights offer a versatile and discreet way to enhance the ambiance of any space. These slender fixtures, available in a variety of lengths and colors, provide a soft, diffused glow, ideal for accent lighting and creating a captivating atmosphere.

24V REGULAR SERIES



2835 LED STRIP - 6W

Power	6W/m	Size	8mm
SDCM	3	CCT.	2700K 3000K 3500K 4000K 5000K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥90	LED	60/mtr




2835 LED STRIP - 12W

Power	12W/m	Size	8mm
SDCM	3	CCT.	2700K 3000K 3500K 4000K 5000K 6500K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥90	LED	120/mtr



2835 LED STRIP - 18W

Power	18W/m	Size	10mm
SDCM	3	CCT.	2700K 3000K 3500K 4000K 5000K 6500K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥90	LED	180/mtr



2835 LED STRIP - 24W

Power	24W/m	Size	10mm
SDCM	3	CCT.	2700K 3000K 3500K 4000K 5000K 6500K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥90	LED	240/mtr

3MM/5MM ULTRA SLIM SERIES




S1616 LED STRIP - 6W

Power	6W/m	Size	3mm
SDCM	3	CCT.	2700K 3500K 5000K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥95	LED	210/mtr




S1616 LED STRIP - 12W

Power	12W/m	Size	3mm
SDCM	3	CCT.	2700K 3000K 3500K 4000K 5000K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥95	LED	210/mtr



SMD 2835 - 5W


Power	5W/m	Size	5mm
SDCM	3	CCT.	3500K 5000K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥95	LED	120/mtr



SMD 2835 - 11W

Power	11W/m	Size	5mm
SDCM	3	CCT.	2700K 3500K 5000K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20		
CRI	≥95	LED	120/mtr

NO VOLTAGE DROP SERIES



S-2835 LED STRIP - 10W


Power	10W/m	Size	10mm
SDCM	3	CCT.	3000K 4000K 6500K
Voltage	24V DC		
Packing Roll	20 Mtr.		
IP	20	LED	120/mtr
CRI	≥90	(No Voltage Drop)	

RGBTW/TUNABLE WHITE SERIES



SMD 5050 - 24W

Power	24W/m	CCT.	RGB + Tunable White
Size	12mm		
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20	LED	60/mtr
CRI	≥80		



S-2835 LED STRIP - 16W

Power	16W/m	Size	5mm
SDCM	3	CCT.	Tunable White
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20	LED	120/mtr
CRI	≥90		



SMD 2835 - 18W

Power	18W/m	CCT.	Tunable White
Size	8mm		
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	20	LED	192/mtr
CRI	≥90		

COB STRIP SERIES

COB LED STRIP - 10W

Power	10W/m	Size	5mm
Voltage	24V DC	CCT.	3000K 4000K 6500K
Packing Roll	10 Mtr.		
IP	20		
CRI	≥90		
LED	320/mtr		

COB LED STRIP - 12W

Power	12W/m	Size	8mm
Voltage	24V DC	CCT.	3000K 4000K 6500K
Packing Roll	10 Mtr.		
IP	20		
CRI	≥90		
LED	480/mtr		

NEON FLEX



2835 NEON STRIP - 12W

Power	12W/m	Size	16x16mm
Voltage	24V DC	CCT.	3000K
Packing Roll	10 Mtr.		
IP	65		
CRI	≥80	LED	120/mtr



NEON FLEX - 10W

Power	10W/m	Size	12x12mm
Voltage	24V DC	CCT.	3000K 4000K
Packing Roll	50 Mtr.		
IP	65		
CRI	≥80	LED	120/mtr

WATERPROOF SERIES



SMD 2835 - 12W


Power	12W/m	CCT.	3000K
Size	8mm		4000K
Voltage	24V DC		
Packing Roll	5 Mtr.		
IP	65		
CRI	≥80	LED	120/mtr



SMD 2835 - 12W


Power	12W/m	CCT.	3000K
Size	8mm		4000K
Voltage	24V DC		
Packing Roll	10 Mtr.		
IP	68		
CRI	≥80	LED	120/mtr

24V POWERFUL SERIES



SMD 2110 - 10W

Power	10W/m	CCT.	3000K
Size	10mm		4000K
Voltage	24V DC		6000K
Packing Roll	5 Mtr.	LED	140/mtr
IP	20		
CRI	≥80		



SMD 2110 - 20W

Power	20W/m	CCT.	3000K
Size	10mm		4000K
Voltage	24V DC		6000K
Packing Roll	5 Mtr.	LED	280/mtr
IP	20		
CRI	≥80		



SMD 2110 - 30W

Power	30W/m	CCT.	3000K
Size	10mm		4000K
Voltage	24V DC		6000K
Packing Roll	5 Mtr.	LED	350/mtr
IP	20		
CRI	≥80		

FLEXIBLE GRAZER




SMD 2835 - 24W

FLEXIBLE GRAZER

Power	24W/m	CCT.	2700K
Size	20x10mm		
Voltage	24V DC		
Packing Roll	5 Mtr.		
IP	65		
CRI	≥80	LED	42/mtr

12V SLIM SERIES



SMD 2835 - 12W

Power	12W/m	CCT.	3000K 4000K
Size	5mm		
Voltage	12V DC		
Packing Roll	5 Mtr.		
IP	20		
CRI	≥80	LED	120/mtr

12V REGULAR SERIES



SMD 2835 - 6W

Power	6W/m	CCT.	3000K
Size	8mm		4000K
Voltage	12V DC		6000K
Packing Roll	5 Mtr.		Red Green Blue
IP	20		Amber
CRI	≥80	LED	Purple
			60/mtr




SMD 2835 - 12W

Power	12W/m	CCT.	3000K
Size	8mm		4000K
Voltage	12V DC		6000K
Packing Roll	5 Mtr.		
IP	20		
CRI	≥80	LED	120/mtr



SMD 2835 - 18W

Power	18W/m	CCT.	3000K
Size	10mm		4000K
Voltage	12V DC		6000K
Packing Roll	5 Mtr.		
IP	20		
CRI	≥80	LED	180/mtr



SMD 2835 - 24W

Power	24W/m	CCT.	3000K 4000K 6000K
Size	10mm		
Voltage	12V DC		
Packing Roll	5 Mtr.		
IP	20		
CRI	≥80	LED	240/mtr




24V ULTRA SLIM POWER SUPPLY



13mm

Body Colour
Dark Grey


Material
Aluminium



O/P Power 48W
O/P Voltage 24VDC $\pm 5\%$ (Regulated)
Dimension H34xW13xL93 mm



O/P Power 100W
O/P Voltage 24VDC $\pm 5\%$ (Regulated)
Dimension H34xW13xL123 mm



O/P Power 200W
O/P Voltage 24VDC $\pm 5\%$ (Regulated)
Dimension H34xW13xL153 mm

12V POWER SUPPLY



O/P Power	24W
O/P Voltage	12VDC $\pm 5\%$ (Regulated)
O/P Current	2Amp
Dimension	H29xW33xL83 mm



O/P Power	36W
O/P Voltage	12VDC $\pm 5\%$ (Regulated)
O/P Current	3Amp
Dimension	H29xW33xL83 mm



O/P Power	48W
O/P Voltage	12VDC $\pm 5\%$ (Regulated)
O/P Current	4Amp
Dimension	H31xW39xL118 mm



O/P Power	60W
O/P Voltage	12VDC $\pm 5\%$ (Regulated)
O/P Current	5Amp
Dimension	H31xW39xL118 mm



O/P Power 72W
 O/P Voltage 12VDC $\pm 5\%$ (Regulated)
 O/P Current 6Amp
 Dimension H31xW39xL118 mm



O/P Power 96W
 O/P Voltage 12VDC $\pm 5\%$ (Regulated)
 O/P Current 8Amp
 Dimension H31xW49xL178 mm



O/P Power 120W
 O/P Voltage 12VDC $\pm 5\%$ (Regulated)
 O/P Current 10Amp
 Dimension H31xW49xL178 mm



O/P Power 144W
 O/P Voltage 12VDC $\pm 5\%$ (Regulated)
 O/P Current 12Amp
 Dimension H31xW49xL178 mm



O/P Power 192W
 O/P Voltage 12VDC $\pm 5\%$ (Regulated)
 O/P Current 16Amp
 Dimension H31xW57xL202 mm



O/P Power	240W
O/P Voltage	12VDC $\pm 5\%$ (Regulated)
O/P Current	20Amp
Dimension	H31xW57xL202 mm

24V POWER SUPPLY



O/P Power	48W
O/P Voltage	24VDC $\pm 5\%$ (Regulated)
O/P Current	2Amp
Dimension	H31xW39xL118 mm



O/P Power	72W
O/P Voltage	24VDC $\pm 5\%$ (Regulated)
O/P Current	3Amp
Dimension	H31xW39xL118 mm



O/P Power	96W
O/P Voltage	24VDC $\pm 5\%$ (Regulated)
O/P Current	4Amp
Dimension	H31xW49xL178 mm



O/P Power 120W
 O/P Voltage 24VDC $\pm 5\%$ (Regulated)
 O/P Current 5Amp
 Dimension H31xW49xL178 mm



O/P Power 144W
 O/P Voltage 24VDC $\pm 5\%$ (Regulated)
 O/P Current 6Amp
 Dimension H31xW49xL178 mm



O/P Power 192W
 O/P Voltage 24VDC $\pm 5\%$ (Regulated)
 O/P Current 8Amp
 Dimension H31xW57xL202 mm



O/P Power 240W
 O/P Voltage 24VDC $\pm 5\%$ (Regulated)
 O/P Current 10Amp
 Dimension H31xW57xL202 mm



LED LAMP & MODULE

Precision-built light engines designed for performance and longevity. LED and Lamp Modules deliver consistent output, efficient thermal management, and reliable colour stability—engineered to integrate seamlessly across architectural and decorative luminaires.

CREP



BODY COLOUR

White

REF. COLOUR

Pearl Black

ADJUSTABLE

0° - 30°

CH 2001-B

Size $\phi 85 \times 64 \text{mm}$

 $\phi 75 \text{mm}$

Material

Aluminium + PC

MODULE & COB HOUSING



MODULE COB-5W



CH COB-14W

BODY COLOUR

Black (5W)
Silver (14W)

CCT.


3000K (5W, 14W) |
4000K (5W) | 5000K (14W)

LED

Bridgelux (5W)
Citizen (14W)

IP
20


CRI
≥80



MODULE COB

Flux 500 Lm

Material
Aluminium




CH COB

Flux 1038 Lm

Material
Aluminium







INDOOR WALL LIGHT

Indoor wall lights illuminate spaces with a soft, ambient glow. These versatile fixtures, crafted from a variety of materials like metal or glass offer a captivating blend of form and function. Whether mounted on bedside tables, flanking a mirror, or illuminating a hallway, indoor wall lights add a touch of sophistication and personality, transforming ordinary spaces into elegant and inviting sanctuaries.

TESS



BODY COLOUR

White

CCT.

3-in-1

LED

Osram

IP
20

CRI
≥80



CH 2515-16W

Flux 1760 Lm

Material

Aluminium + Plt.



TESS



BODY COLOUR

White

CCT.

3-in-1

LED

Osram

IP
20

CRI
≥80



CH 2516-16W

Flux 1760 Lm

Material

Aluminium + Plt.



80°

NEOS



BODY COLOUR

Black | Gold

CCT.


3000K

LED

Edison

IP
20

CRI
≥80



CH W-2339-9W

Flux 1020 Lm

Material

Aluminium





DOMOV



BODY COLOUR

White | Black

CCT.


3000K

LED

Edison

IP
20

CRI
≥80



CH W-2340-3W

🔑 φ55x155x35mm

Flux 210 Lm

Material

Aluminium





OUTDOOR CEILING LIGHT

Outdoor ceiling lights, elegant beacons of illumination, grace patios, porches, and gazebos with their warm glow. These fixtures, often crafted from durable materials provide both ambiance and functionality. Whether casting a soft, inviting light for evening gatherings or offering a sense of security during the night, outdoor ceiling lights enhance the beauty and utility of any outdoor living space.

RIBBON



BODY COLOUR

Dark Grey

CCT.

2700K

LED

Cree



RIBBON-9W

Flux 630 Lm

Material

Aluminium



180°

MINI



BODY COLOUR


Black

CCT.

3000K

LED

Edison



CH 4187-3W

Flux 210 Lm

Material

Aluminium + Glass



120°

GUNTER



BODY COLOUR


Dark Grey

CCT.

3000K

LED

BridgeLux



CH 2401-7W


Flux 700 Lm

Material

Aluminium



38°



CH 2356-5W


Flux 400 Lm

Material

Aluminium + Glass



38°



CH 2356-12W


Flux 960 Lm

Material

Aluminium + Glass



38°



CH 2356-18W

Flux 1440 Lm

Material

Aluminium + Glass



38°



OUTDOOR WALL LIGHT

Outdoor wall lights, like sentinels guarding the perimeter of a home, illuminate pathways and entrances with a warm and welcoming glow. These elegant fixtures, often crafted from durable materials like metal add a touch of sophistication to any architectural style. Whether casting a soft, ambient light or providing a focused beam for security, outdoor wall lights enhance the ambiance and safety of any outdoor space.

TRUSS



BODY COLOUR


Dark Sand Grey

CCT.

3000K

LED

Sanan



CH 2141-18W-RD


Flux 1260 Lm

Material

Aluminium + PC



120°



CH 2141-18W-SQ

Flux 1260 Lm

Material

Aluminium +P C



120°



BODY COLOUR

Dark Grey

CCT.


3000K

LED

BridgeLux



60°



CH 2357-2x3W

Flux 480 Lm

Material

Aluminium + Glass



BODY COLOUR

Dark Grey

CCT.


3000K

LED

Sanan



120°



CH 2358-12W

Flux 1200 Lm

Material

Aluminium + PC



PRATO



CITMO



BODY COLOUR

Dark Grey

CCT.

3000K

LED

BridgeLux



CH 2354-1x5W


Flux 500 Lm

Material

Aluminium + Glass



38°



CH 2354-2x5W


Flux 1000 Lm

Material

Aluminium + Glass



38°



CH 2355-1x9W


Flux 900 Lm

Material

Aluminium + Glass



38°



CH 2355-2x9W

Flux 1800 Lm

Material

Aluminium + Glass



38°

CIARA



BODY COLOUR


Dark Grey

CCT.

3000K

LED

BridgeLux



CH 2353-1x5W


Flux 500 Lm

Material

Aluminium + Glass



38°



CH 2353-2x5W


Flux 1000 Lm

Material

Aluminium + Glass



38°



CH 2501-1x10W


Flux 850 Lm

Material

Aluminium + Glass



38°



CH 2501-2x10W

Flux 1500 Lm

Material

Aluminium + Glass



38°

MARCEL



BODY COLOUR


Dark Grey

CCT.

3000K

LED

Edison




CH 5199-12W

Flux 600 Lm

Material

Aluminium + PC





DUO



BODY COLOUR


Dark Grey

CCT.

3000K

LED

Cree



φ120mm

56mm

CH 2359-4x3W

Flux 960 Lm

Material

Aluminium



40°



5°



APOLLO



BODY COLOUR


Black

CCT.

3000K

LED

Edison



CH 2106-1x1W

Flux 70 Lm

Material

Aluminium



60°

STEPPER




BODY COLOUR

Dark Grey

SOURCE

(E27) Without Lamp



CH 4830

Material

Aluminium


CIARA



BODY COLOUR
Dark Grey

CCT.
3000K


LED
Edison



CH 360-9W

Flux 675 Lm

Material
Aluminium



CH 360-2X9W

Flux 1350 Lm

Material
Aluminium





NOVA



BODY COLOUR


Dark Grey

CCT.

3000K

LED

Edison



CH 017-1-1x3W


Flux 210 Lm

Material

Aluminium



40°



CH 016-2-2x3W

Flux 420 Lm

Material

Aluminium



40°



FOOT LIGHT

Footlights, subtle sources of illumination, cast a soft glow on a stage or performance area. These lights, positioned at the front of the stage, illuminate the performers' feet, enhancing their visibility and creating a dramatic effect.

MAGNETO-A



BODY COLOUR


Sand White | Sand Grey

CCT.

3000K

LED

Epistar



CH 2367-3W

 82x82mm

Flux 90 Lm

Material
Aluminium





MAGNETO-B/C



CH 2368



CH 2370

BODY COLOUR


Sand White | Sand Grey

CCT.

3000K

LED

Epistar



CH 2368-3W

 82x82mm


Flux 90 Lm

Material

Aluminium



30°



CH 2370-3W

 82x82mm

Flux 90 Lm

Material

Aluminium



30°



MAGNETO-D/E



CH 2381



CH 2385

BODY COLOUR


Sand White | Sand Grey

CCT.

3000K

LED

Epistar




CH 2381-3W

 82x82mm

Flux 90 Lm

Material
Aluminium



CH 2385-3W

 82x82mm

Flux 90 Lm

Material
Aluminium



BARI



BODY COLOUR


White

LED

Edison

CCT.

3000K



CH F-636-3W

 65x65mm

Flux 210 Lm

Material

Aluminium

BARI



BODY COLOUR


White

LED

Edison

CCT.

3000K



CH F-636-5W

 110x70mm

Flux 375 Lm

Material

Aluminium

BODY COLOUR

Dark Grey

LED


Edison

CCT.

3000K



BARI



CH F-637-3W

 80x80mm

Flux 180 Lm

Material

Aluminium



BODY COLOUR

White

LED

Edison


CCT.

3000K



BARI

Motion Sensor Enabled



CH F-2352-3W

 70x70mm

Flux 210 Lm

Material

Aluminium





BOLLARD & GATE LIGHT

The gate and bollard light family offers a harmonious blend of form and function, illuminating pathways and entrances with a touch of understated elegance. The stately gate light illuminates the entrance with a warm glow, while the graceful bollard lights, strategically placed along pathways, guide visitors with a soft, ambient light. Together, they create a luminous tapestry, enhancing the security and aesthetic appeal of any property.

SAND



BODY COLOUR


Dark Grey

CCT.

3000K

LED

BridgeLux





CH 2142-200-7W

Flux 490 Lm

Material

Aluminium





CH 2142-600-7W

Flux 490 Lm

Material

Aluminium




CH 2142-800-7W

Flux 490 Lm

Material

Aluminium





SAND



BODY COLOUR


Dark Grey

CCT.

3000K

LED

BridgeLux




CH 2143-200-7W

Flux 490 Lm

Material
Aluminium



120°




CH 2143-600-7W

Flux 490 Lm

Material
Aluminium



120°



CH 2143-800-7W

Flux 490 Lm

Material
Aluminium



120°



DILL



BODY COLOUR

Dark Grey

LED


BridgeLux

CCT.

3000K



120°




CH 2145-7W

Flux 490 Lm

Material

Aluminium



CH 2145-12W

Flux 840 Lm

Material

Aluminium



BODY COLOUR

Dark Grey

CCT.

3000K


LED

BridgeLux



120°

DILL




CH 2144-7W

Flux 490 Lm

Material

Aluminium



CH 2144-12W

Flux 840 Lm

Material

Aluminium





SPIKE LIGHT

Spike lights, slender and elegant, are designed to illuminate pathways and gardens with a soft, upward glow. These fixtures, often made of Aluminium, are installed directly into the ground, adding a touch of sophistication to outdoor spaces.

JENKO



BODY COLOUR


Dark Grey

CCT.

3000K

LED


Sanan



CH 2146-3W

Flux 168 Lm


Material
Aluminium



CH 2146-5W

Flux 301 Lm

Material
Aluminium



CH 2146-10W

Flux 732 Lm

Material
Aluminium





INGROUND LIGHT

Inground lights, subtle yet effective, illuminate pathways and gardens with a soft, ambient glow. These fixtures, recessed into the ground, offer a minimalist and elegant way to enhance the beauty of outdoor spaces.

TROY



BODY COLOUR
SN

CCT.
3000K

LED
Edison



CH 6346-18W

 $\phi 144 \times 90 \text{mm}$

Flux 1440 Lm

Material
Aluminium





STREET LIGHT

Street lights illuminate our urban landscapes with a steady glow. These structures cast a warm and inviting light upon city streets, ensuring safe passage for pedestrians and motorists alike.

STREET



BODY COLOUR


Sand Grey

CCT.

6000K

LED

Epistar





CH 5200-30W

Flux 2700 Lm

Material

Aluminium





CH 5200-50W

Flux 4500 Lm

Material

Aluminium




CH 5200-70W

Flux 6300 Lm

Material

Aluminium



A vertical photograph of a night scene. The top half of the image shows a dark, starry sky. The bottom half shows a dense forest of trees, which are brightly illuminated from below, creating a strong contrast with the dark sky. The light source is not visible, but the effect is that of powerful floodlights.

FLOOD LIGHT

Flood lights, powerful beacons of illumination, cast a wide, intense beam of light over large areas. These robust fixtures are designed to illuminate outdoor spaces, such as sports fields, parking lots, and building facades, enhancing visibility and security.

AIRLITE-2



BODY COLOUR


Grey

CCT.

6000K

LED

Sanan



CH 19114-50W

Flux 4800 Lm

Material

Aluminium



120°



The E-Gen Light range, a testament to both ingenuity and economic wisdom, offers a regal illumination without compromising on fiscal prudence. These luminaires, crafted with an eye for both aesthetics and affordability, cast a warm glow upon spaces, illuminating lives with a touch of royal elegance while remaining mindful of environmental stewardship and empowering individuals through accessible and high-quality lighting.



www.changilighting.com

